Pain, 41 (1990) 373–375
Elsevier

Author Index to Volume 41 (1990)

Aanonsen, L.M., Lei, S. and Wilcox, G.L.
Excitatory amino acid receptors and nociceptive neurotransmission in rat spinal cord (41) 309
Addicoat, L., see Bieri, D. (41) 139
Ader, L., Hansson, B. and Wallin, G.
Parturition pain treated by intracutaneous injections of sterile water (41) 133
Afifi, S., see Kames, L.D. (41) 41
Aherne, G.W., see Poulain, P. (41) 115
Arias, L.M., see Santo, J.L. (41) 55
Attal, N., Jazat, F., Kayser, V. and Guilbaud, G.
Further evidence for 'pain-related' behaviours in a model of unilateral peripheral mononeuropathy (41) 235

Bakal, D., see Wuitchik, M. (41) 125
Barolat, G., see Santo, J.L. (41) 55
Bieri, D., Reeve, R.A., Champion, G.D., Addicoat, L. and Ziegler, J.B.
The Faces Pain Scale for the self-assessment of the severity of pain experienced by children: development, initial validation, and preliminary investigation for ratio scale properties (41) 139
Bigler, D., Broen Christensen, C., Eriksen, J. and Jensen, N.-H.
Morphine, morphine-6-glucuronide and morphine-3-glucuronide concentrations in plasma and cerebrospinal fluid during long-term high-dose intrathecal morphine administration (41) 15
Bourgoin, S., Le Bars, D., Clot, A.M., Hamon, M. and Cesselin, F.
Subcutaneous formalin induces a segmental release of Met-enkephalin-like material from the rat spinal cord (41) 323
Broen Christensen, C., see Bigler, D. (41) 15
Brune, K., see Jurna, I. (41) 71

Cesselin, F., see Bourgoin, S. (41) 323
Champion, G.D., see Bieri, D. (41) 139
Chapman, D.J., see Poulain, P. (41) 115
Chen, A.C.N., Dworkin, S.F., Haug, J. and Gehrig, J.
Reply to Peters and Schmidt (41) 120
Chibnall, J.T., see Tait, R.C. (41) 295
Cleeland, C.S., see Hodes, R.L. (41) 109
Clot, A.M., see Bourgoin, S. (41) 323
Corrado, A.P., see Prado, W.A. (41) 365
Członkowski, A., see Parsons, C.G. (41) 81

Dworkin, S.F., see Chen, A.C.N. (41) 120

Emanuelsson, H., see Mannheimer, C. (41) 27
Eriksen, J., see Bigler, D. (41) 15
Erskine, A., Morley, S. and Pearce, S.
Memory for pain: a review (41) 255

Ferrer-Brechner, T., see Kames, L.D. (41) 41
Foley, K.M., see Wallenstein, S.L. (41) 5

Gaston-Johansson, F. and Gustafsson, M.
Rheumatoid arthritis: determination of pain characteristics and comparison of RAI and VAS in its measurement (41) 35
Gebhart, G.F., see Ness, T.J. (41) 167
Gehrig, J., see Chen, A.C.N. (41) 120
Gibson, S.J., see LeVasseur, S.A. (41) 19
Goldstein, B.D., see McCarson, K.E. (41) 95
Grossman, K., see Santo, J.L. (41) 55
Guilbaud, G., see Attal, N. (41) 235
Guilbaud, G., see Kayser, V. (41) 353
Gustafsson, M., see Gaston-Johansson, F. (41) 35

Hagen, N.A., see Portenoy, R.K. (41) 273
Hamon, M., see Bourgoin, S. (41) 323
Han, J., see Wang, Q. (41) 101
Hanks, G.W., see Poulain, P. (41) 115
Hansson, B., see Ader, L. (41) 133
Haug, J., see Chen, A.C.N. (41) 120
Helme, R.D., see LeVasseur, S.A. (41) 19
Herz, A., see Parsons, C.G. (41) 81
Hodes, R.L., Howland, E.W., Lightfoot, N. and Cleeland, C.S.
The effects of distraction on responses to cold pressor pain (41) 109
Holzemer, W.L., see Wilkie, D.J. (41) 151
Hoskin, P.J., see Poulain, P. (41) 115
Houde, R.W., see Wallenstein, S.L. (41) 5
Howland, E.W., see Hodes, R.L. (41) 109
Hu, J.W.
Response properties of nociceptive and non-nociceptive neurons in the rat's trigeminal subnucleus caudalis (medullary dorsal horn) related to cutaneous and deep craniofacial afferent stimulation and modulation by diffuse noxious inhibitory controls (41) 331

Jazat, F., see Attal, N. (41) 235
Jensen, N.-H., see Bigler, D. (41) 15
Jurna, I. and Brune, K.
Central effect of the non-steroid anti-inflammatory agents,

0304-3959/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

indometacin, ibuprofen, and diclofenac, determined in C fibre-evoked activity in single neurones of the rat thalamus (41) 71

Kames, L.D., Rapkin, A.J., Naliboff, B.D., Afifi, S. and Ferrer-Brechner, T.
Effectiveness of an interdisciplinary pain management program for the treatment of chronic pelvic pain (41) 41
Kayser, V. and Guilbaud, G.
Differential effects of various doses of morphine and naloxone on two nociceptive test thresholds in arthritic and normal rats (41) 353
Kayser, V., see Attal, N. (41) 235
King, S.A. and Strain, J.J.
Benzodiazepines and chronic pain (41) 3
Kirvelä, O. and Nieminen, S.
Treatment of painful neuromas with neurolytic blockade (41) 161

Lapin, J., see Wallenstein, S.L. (41) 5
Large, R.G., see Peters, J.L. (41) 283
Le Bars, D., see Bourgoin, S. (41) 323
Lei, S., see Aanonsen, L.M. (41) 309
LeVasseur, S.A., Gibson, S.J. and Helme, R.D.
The measurement of capsaicin-sensitive sensory nerve fiber function in elderly patients with pain (41) 19
Lightfoot, N., see Hodes, R.L. (41) 109
Lipshitz, J., see Wuitchik, M. (41) 125
Lynn, B.
Capsaicin: actions on nociceptive C-fibres and therapeutic potential (41) 61

Mannheimer, C., Emanuelsson, H. and Waagstein, F.
The effect of transcutaneous electrical nerve stimulation (TENS) on catecholamine metabolism during pacing-induced angina pectoris and the influence of naloxone (41) 27
Mao, L., see Wang, Q. (41) 101
Margolis, R.B., see Tait, R.C. (41) 295
Maruta, T., Swanson, D.W. and McHardy, M.J.
Three year follow-up of patients with chronic pain who were treated in a multidisciplinary pain management center (41) 47
McCarson, K.E. and Goldstein, B.D.
Time course of the alteration in dorsal horn substance P levels following formalin: blockade by naloxone (41) 95
McGrath, P.J.
Paediatric pain: a good start (41) 253
McHardy, M.J., see Maruta, T. (41) 47
McMillan, V., see Owen, H. (41) 303
Moran Ribon, A., see Poulain, P. (41) 115
Morley, S., see Erskine, A. (41) 255

Naliboff, B.D., see Kames, L.D. (41) 41
Ness, T.J. and Gebhart, G.F.
Visceral pain: a review of experimental studies (41) 167
Nichols, D.S. and Thorn, B.E.
Stimulation-produced analgesia and its cross-tolerance between dorsal and ventral PAG loci (41) 347
Nieminen, S., see Kirvelä, O. (41) 161

Owen, H., McMillan, V. and Rogowski, D.
Postoperative pain therapy: a survey of patients' expectations and their experiences (41) 303

Parsons, C.G., Członkowski, A., Stein, C. and Herz, A.
Peripheral opioid receptors mediating antinociception in inflammation. Activation by endogenous opioids and role of the pituitary-adrenal axis (41) 81
Paul, S.M., see Wilkie, D.J. (41) 151
Pearce, S., see Erskine, A. (41) 255
Peters, J.L. and Large, R.G.
A randomised control trial evaluating in- and outpatient pain management programmes (41) 283
Peters, M.L. and Schmidt, A.J.M.
Human pain responsivity (41) 117
Portenoy, R., see Wallenstein, S.L. (41) 5
Portenoy, R.K. and Hagen, N.A.
Breakthrough pain: definition, prevalence and characteristics (41) 273
Poulain, P., Moran Ribon, A., Hanks, G.W., Hoskin, P.J., Aherne, G.W. and Chapman, D.J.
CSF concentrations of morphine-6-glucuronide after oral administration of morphine (41) 115
Prado, W.A., Tonussi, C.R., Rego, E.M. and Corrado, A.P.
Antinociception induced by intraperitoneal injection of gentamicin in rats and mice (41) 365

Rapkin, A.J., see Kames, L.D. (41) 41
Reeve, R.A., see Bieri, D. (41) 139
Rego, E.M., see Prado, W.A. (41) 365
Rogers, A., see Wallenstein, S.L. (41) 5
Rogowski, D., see Owen, H. (41) 303

Santo, J.L., Arias, L.M., Barolat, G., Schwartzman, R.J. and Grossman, K.
Bilateral cingulumotomy in the treatment of reflex sympathetic dystrophy (41) 55
Savedra, M.C., see Wilkie, D.J. (41) 151
Schmidt, A.J.M., see Peters, M.L. (41) 117
Schwartzman, R.J., see Santo, J.L. (41) 55
Sharfman, W.H. and Walsh, T.D.
Has the analgesic efficacy of neurolytic celiac plexus block been demonstrated in pancreatic cancer pain? (41) 267
Stein, C., see Parsons, C.G. (41) 81
Strain, J.J., see King, S.A. (41) 3
Swanson, D.W., see Maruta, T. (41) 47

Tait, R.C., Chibnall, J.T. and Margolis, R.B.
Pain extent: relations with psychological state, pain severity, pain history, and disability (41) 295
Tesler, M.D., see Wilkie, D.J. (41) 151
Thorn, B.E., see Nichols, D.S. (41) 347
Tonussi, C.R., see Prado, W.A. (41) 365

Waagstein, F., see Mannheimer, C. (41) 27
Wallenstein, S.L., Houde, R.W., Portenoy, R., Lapin, J., Rogers, A. and Foley, K.M.
Clinical analgesic assay of repeated and single doses of heroin and hydromorphone (41) 5
Wallin, G., see Ader, L. (41) 133
Walsh, T.D., see Sharfman, W.H. (41) 267
Wang, Q., Mao, L. and Han, J.
Characterization of inhibition of spinal nociceptive reflex by stimulation of the arcuate nucleus of the hypothalamus in the pentobarbital-anesthetized rat (41) 101
Ward, J.A., see Wilkie, D.J. (41) 151
Wilcox, G.L., see Aanonsen, L.M. (41) 309
Wilkie, D.J., Holzemer, W.L., Tesler, M.D., Ward, J.A., Paul, S.M. and Savedra, M.C.
Measuring pain quality: validity and reliability of children's and adolescents' pain language (41) 151
Wuitchik, M., Bakal, D. and Lipshitz, J.
Relationships between pain, cognitive activity and epidural analgesia during labor (41) 125

Ziegler, J.B., see Bieri, D. (41) 139